

**Michigan Department of  
Environment, Great Lakes, and Energy**



**CERTIFIES:**

**BRIGHTON ANALYTICAL, LLC.**

**HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING  
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:**

**CERTIFIED PARAMETERS**

Antimony, Arsenic, Barium, Beryllium, Cadmium,  
Chromium, Copper, Cyanide, Fluoride, Lead, Mercury  
Nickel, Nitrate, Nitrite, Selenium, Sodium  
Sulfate, Thallium, Total Organic Carbon

**This certification requires maintenance of an acceptable quality assurance program,  
use of approved methodology and equipment,  
and satisfactory performance on evaluation samples.  
This certification does not guarantee validity of data generated.**



September 18, 2024  
Expiration Date

March 15, 2022  
Effective Date

  
Laboratory Certification Officer

9404  
Laboratory Number

Michigan Department of  
Environment, Great Lakes, and Energy



CERTIFIES:

**BRIGHTON ANALYTICAL, LLC.**

**HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING  
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:**

CERTIFIED PARAMETERS

Regulated and Unregulated Volatile Organic Chemicals  
Total Trihalomethanes, Vinyl Chloride

**This certification requires maintenance of an acceptable quality assurance program,  
use of approved methodology and equipment,  
and satisfactory performance on evaluation samples.  
This certification does not guarantee validity of data generated.**



September 18, 2024  
Expiration Date

  
Laboratory Certification Officer

March 15, 2022  
Effective Date

9404  
Laboratory Number

**Michigan Department of  
Environment, Great Lakes, and Energy**



**CERTIFIES:**

**BRIGHTON ANALYTICAL, LLC.**

**HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING  
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:**

**CERTIFIED PARAMETERS**

Total Coliform and E.coli  
Enumeration of Total Coliform and E.coli

**This certification requires maintenance of an acceptable quality assurance program,  
use of approved methodology and equipment,  
and satisfactory performance on evaluation samples.  
This certification does not guarantee validity of data generated.**

September 18, 2024  
Expiration Date

March 15, 2022  
Effective Date



Gregory Sunday  
Laboratory Certification Officer

9404  
Laboratory Number